Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	40	(sql with functional with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:07
S2	615	((program\$4 near language) with functional with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:04
S3	2	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:05
S4	14	S1 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:39
S5	326	((convert\$3 or translat\$3) with functional with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:12
S6	0	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:05
<b>S7</b>	118	(sql with (functional or declarativ\$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:09
<b>S8</b>	0	S7 and S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:09

S9	1023	(sql with (function\$3 or declarativ\$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S10	0	S9 and S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S11	34843	( (function\$3 or declarativ\$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S12	186	S11 and S5 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:11
S13	11	((convert\$3 or translat\$3) with (function\$2 or declarativ\$3) with language with (imperative or intepret\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:16
S14	1	S13 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:15
S15	806	((convert\$3 or translat\$3) with (function\$2 or declarativ\$3) with language with (imperative or intepret\$3 or program\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/31 13:15
S16	21	((convert\$3 or translat\$3) with (quer\$3 or sql) with (function\$2 or declarativ\$3) with language with (imperative or intepret\$3 or program\$4 or java ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:15

				•		
S17	9	S16 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:29
S18	2	("6778126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	.OR	OFF	2007/12/31 13:29
S19	2	("6378126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 13:29
S20	11	((convert\$3 or translat\$3 or compil\$3) with (function\$2 or declarativ\$3) with language with (imperative or intepret\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:21
S21	689	((convert\$3 or translat\$3 or compil\$3) with (function\$2 or declarativ\$3) with language with (imperative or intepret\$3 or (program\$4 near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:39
S22	118	(sql with (functional or declarativ\$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:23
S23	7	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:22
<b>S24</b>	220	(quer\$3 with (functional or declarativ\$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:24

	· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·
S25	9	S21 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:24
S26	17	( (quer\$3 or sql) with (convert\$3 or translat\$3 or compil\$3) with (function\$2 or declarativ\$3) with language with (imperative or intepret\$3 or (program\$4 near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:42
S27	8	S26 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/31 22:44
S28	17	( (quer\$3 or sql) with (convert\$3 or translat\$3 or compil\$3) with (function\$2 or declarativ\$3 or ML or lisp or haskell) with language with (imperative or intepret\$3 or (program\$4 near language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:43
S29	130	( (quer\$3 or sql) with (convert\$3 or translat\$3 or compil\$3) with (function\$2 or declarativ\$3 or ML or lisp or haskell) with language )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:43
S30	12	S29 and imperativ\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:46
S31	5	S30 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 08:41
<b>S32</b>	36	S29 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:46

S33	9	S32 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:54
S34	* 11	S29 and (smalltalk or c++) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 22:54
S35	2	"090068".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 08:41